

COMMERCIAL

# PRODUCT OFFERING

OLDCASTLE PACIFIC

CAYMUS-SUISUN  
CALIFORNIA & NEVADA



BELGARD  
COMMERCIAL

# PAVER APPLICATIONS



## Pedestrian

Designated for areas that are primarily for pedestrian applications including commercial plazas that may require occasional access for emergency or maintenance vehicles, as well as residential driveways.



## Light Vehicles

Designated for commercial vehicular areas, access ways, and parking lots where only cars and light trucks are anticipated. Heavy vehicles should have limited access and use.



## Occasional Heavy Vehicles

Designated for vehicular areas, parking lots, and roadways where limited heavy vehicles are anticipated daily such as large delivery trucks or garbage trucks.



## Frequent Heavy Vehicles

Designated for vehicular areas, parking lots, and roadways where heavy vehicles are a regular component of the daily traffic volume.



## Quality TO THE CORE

VISIT [Beldgard.com/Quality](https://Belgard.com/Quality) FOR MORE INFORMATION

Belgard pavers are trusted nationwide for quality materials and color blends in every paving stone. Depending on your product selections, there are additional options that can further enhance your paver designs and increase the durability of your outdoor spaces.

| ENHANCEMENT OPTIONS | LIFETIME LIMITED WARRANTY | DURABILITY | SUPERIOR STRENGTH | WEATHER RESISTANCE | ENHANCED ABSORPTION PROTECTION | ENHANCED COLORS | LASTING TEXTURE |
|---------------------|---------------------------|------------|-------------------|--------------------|--------------------------------|-----------------|-----------------|
| DuraFusion™         | •                         | •          | •                 | •                  | •                              | •               | •               |
| Core Mix            | •                         | •          |                   |                    |                                |                 | •               |

*Paver application icons are general recommendations. Site conditions and pavement cross section must be considered. Paver application icons are based on placement over unbound aggregates for setting beds, base and subbase.*

# BELGARD PAVER COLORS & FINISHES - CORE MIX



SMOOTH SHOT BLAST GROUND FACE

Belgard Commercial allows you to customize your project with optional finishes: Smooth, Shot Blast and Ground face. Contact your Belgard Commercial Representative for more information.

Contact your Belgard Representative for custom finish options and sample products, as well as ADA Compliant products.

## SUNSET



Smooth Shot Blast Ground Face

## RUST



Smooth Shot Blast Ground Face

## ALMOND



Smooth Shot Blast Ground Face

## DESERT



Smooth Shot Blast Ground Face

## SAHARA



Smooth Shot Blast Ground Face

## LINEN



Smooth Shot Blast Ground Face

## CHAMPAGNE



Smooth Shot Blast Ground Face

## SUEDE



Smooth Shot Blast Ground Face

## TRUFFLE



Smooth Shot Blast Ground Face

## FOUNDRY



Smooth Shot Blast Ground Face

## GRAPHITE



Smooth Shot Blast Ground Face

## CADO



Smooth Shot Blast Ground Face

## BLENDED COLORS



Aspen Autumn Avignon Barcelona Bella Baja



Cascade Dorado Elk Mountain Montecito Rio Riviera



Santa Monica Sedona Sierra Sol Toscana Valencia



Victorian

# BELGARD PAVER COLORS & FINISHES - DURAFUSION




DuraFusion fuses a top layer of rich pigments with Belgard's core color process. The result is a paver with a richness and purity of color that's sleek and vibrant.


## SOLID COLORS



## SOLID COLORS CONTINUED



## BLENDED COLORS



## TRUNCATED DOMES



## HANDICAP & EV KITS



# MODULINE SERIES® VEHICULAR & ARCHITECTURAL PAVERS

| UNITS  | THICKNESS                  | SIZE  | APPLICATIONS  |   |   |   | ADA*  | MECHANICAL INSTALL  | COLORS   |            | SPECIAL ORDER FINISHES** |            |          | CHAMFER WIDTH | SQ. FT. PER PALLET                              |
|--|----------------------------|---|---|---|---|---|---|---|----------|------------|--------------------------|------------|----------|---------------|---|
|  |                            |   |  |  |  |  |  |  | Core Mix | DuraFusion | Ground Face              | Shot Blast | Antiqued |               |   |
|  4" x 12"   | 80 mm                      | 4" x 12"  | 80 mm   | 80mm  |   |   | ✓   |   | ✓        |            | ✓                        | ✓          |          | 3 mm          | 85  |
|  4" x 18"   | 80 mm                      | 4" x 18"  | 80 mm   |   |   |   | ✓   |   | ✓        |            | ✓                        | ✓          |          | 3 mm          | 72  |
|  6" Bishop Hat  | 60 mm<br>80 mm<br>101.6 mm | 4" x 24"  | 60 mm   | 80 mm   | 80 mm   | 80 mm<br>101.6 mm   | ✓   |   | ✓        |            | ✓                        | ✓          | ✓        | 3 mm          | 84.5 (60 mm)<br>67.6 (80 mm)<br>50.7 (101.6 mm) |
|  3-Piece Modular<br><i>(Available in Natural Stone Finish)</i> | 80 mm                      | 6" x 6", 6" x 12",<br>12" x 12"                     | 80 mm   | 80 mm   |   |   | ✓   |   | ✓        |            | ✓                        | ✓          | ✓        | 3 mm          | 96  |
|  5-Piece Modular   | 80 mm                      | 6" x 6", 6" x 9",<br>9" x 9", 6" x 12",<br>9" x 12" | 80 mm   | 80 mm   |   |   | ✓   | ✓   | ✓        |            | ✓                        | ✓          | ✓        | 3 mm          | 93.5  |

# GEOMETRIC SHAPES

| UNITS   | THICKNESS      | SIZE                                   | APPLICATIONS  |   |   |   | ADA*  | MECHANICAL INSTALL  | COLORS   |            | SPECIAL ORDER FINISHES** |            |          | CHAMFER WIDTH | SQ. FT. PER PALLET | PCS. PER PALLET | PALLET WEIGHT (LBS) |
|---|----------------|--|---|---|---|---|---|---|----------|------------|--------------------------|------------|----------|---------------|--------------------|-----------------|---------------------|
|   |                |  |  |  |  |  |  |  | Core Mix | DuraFusion | Ground Face              | Shot Blast | Antiqued |               |                    |                 |                     |
|  Diamond            | 60 mm          | 12" x 12"                              | 60 mm   |   |   |   | ✓   |   | ✓        | ✓          | ✓                        | ✓          |          | 3 mm          | 93.53              | 108             | 2,664               |
|  Hexagon           | 60 mm<br>80 mm | 10 <sup>3</sup> / <sub>8</sub> " x 12" | 60 mm   | 80 mm   |   |   | ✓   |   | ✓        | ✓          | ✓                        | ✓          |          | 3 mm          | 100.02<br>71.24    | 154<br>112      | 2,845<br>2,708      |
|  12" Parallelogram | 60 mm          | 3" x 12"                               | 60 mm   |   |   |   | ✓   |   | ✓        | ✓          | ✓                        | ✓          |          | 3 mm          | 85.73              | 396             | 2,392               |
|  18" Parallelogram | 60 mm          | 6" x 18"                               | 60 mm   |   |   |   | ✓   |   | ✓        | ✓          | ✓                        | ✓          |          | 3 mm          | 114.31             | 176             | 3,225               |

\* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.

\*\* Custom finishes, contact Belgard Representative for details.

Contact your Belgard Representative for colors and finishes available in your local market.

Secondary processes and finishes including, but not limited to, face-grind and shot blast, may impact dimensional tolerances from base dimensions.

# DIMENSIONS™ SERIES VEHICULAR & ARCHITECTURAL PAVERS


| UNITS   | THICKNESS                  | SIZE                               | APPLICATIONS  |   |   |   | ADA*  | COLORS   |            | SPECIAL ORDER FINISHES** |            |          | CHAMFER WIDTH | SQ. FT. PER PALLET                         |
|---|----------------------------|------------------------------------|---|---|---|---|---|----------|------------|--------------------------|------------|----------|---------------|--|
|   |                            |                                    |  |  |  |  |  | Core Mix | DuraFusion | Ground Face              | Shot Blast | Antiqued |               |  |
|  3" x 9"   | 80 mm                      | 9" x 9"                            | 80 mm   | 80 mm   | 80 mm   | 80 mm   | ✓   | ✓        | ✓          | ✓                        | ✓          | ✓        | 3 mm          | 90   |
|  3" x 12"<br><small>(Available in new Striated Finish)</small> | 60 mm<br>80 mm<br>101.6 mm | 3" x 12"                           | 60 mm   | 80 mm   | 101.6 mm  |   | ✓   | ✓        | ✓          | ✓                        | ✓          | ✓        | 3 mm          | 110 (60 mm)<br>88 (80 mm)<br>66 (101.6 mm) |
|  3" x 18"  | 101.6 mm                   | 3" x 18"                           | 101.6 mm  |   |   |   | ✓   | ✓        | ✓          | ✓                        | ✓          |          | 3 mm          | 49.5                                       |
|  6" x 6"   | 60 mm<br>80 mm<br>101.6 mm | 6" x 6"                            | 60 mm   | 80 mm   |   |   | ✓   | ✓        | ✓          | ✓                        | ✓          | ✓        | 3 mm          | 120 (60 mm)<br>96 (80 mm)<br>72 (101.6 mm) |
|  6" x 9"   | 60 mm<br>80 mm             | 6" x 9"                            | 60 mm   | 80 mm   | 80 mm   | 80 mm   | ✓   | ✓        | ✓          | ✓                        | ✓          | ✓        | 3 mm          | 112.5 (60 mm)<br>90 (80 mm)                |
|  6" x 12"  | 60 mm<br>80 mm<br>101.6 mm | 6" x 12"                           | 60 mm   | 80 mm   | 101.6 mm  | 101.6 mm  | ✓   | ✓        | ✓          | ✓                        | ✓          | ✓        | 3 mm          | 120 (60 mm)<br>96 (80 mm)<br>72 (101.6 mm) |
|  9" x 9"   | 80 mm                      | 9" x 9"                            | 80 mm   | 80 mm   | 80 mm   |   | ✓   | ✓        | ✓          | ✓                        | ✓          | ✓        | 3 mm          | 90   |
|  12" x 12"   | 60 mm<br>80 mm<br>101.6 mm | 12" x 12"                          | 60 mm   | 80 mm<br>101.6 mm   | 101.6 mm  |   | ✓   | ✓        | ✓          | ✓                        | ✓          | ✓        | 3 mm          | 120 (60 mm)<br>96 (80 mm)<br>72 (101.6 mm) |
|  12" x 18"   | 60 mm                      | 12" x 18"                          | 60 mm   |   |   |   | ✓   | ✓        | ✓          | ✓                        |            |          | 3 mm          | 120  |
|  12" x 24"   | 60 mm                      | 12" x 24"                          | 60 mm   |   |   |   | ✓   | ✓        | ✓          | ✓                        |            |          | 3 mm          | 120  |
|  18" x 18"   | 60 mm                      | 18" x 18"                          | 60 mm   |   |   |   | ✓   | ✓        | ✓          | ✓                        |            |          | 3 mm          | 90   |
|  24" x 24"   | 60 mm                      | 24" x 24"                          | 60 mm   |   |   |   | ✓   | ✓        | ✓          |                          |            |          | 3 mm          | 80   |
|  24" x 36"  | 60 mm                      | 24" x 36"                          | 60 mm   |   |   |   |   |          | ✓          | ✓                        |            |          | 3 mm          | 120  |
|  Dimensions™ 18   | 60 mm                      | 9" x 18"<br>18" x 18"<br>27" x 18" | 60 mm   |   |   |   | ✓   | ✓        | ✓          |                          |            |          | 3 mm          | 112.5                                      |
|  Dimensions™ 12   | 60 mm                      | 6" x 12"<br>12" x 12"<br>12" x 18" | 60 mm   |   |   |   | ✓   | ✓        | ✓          |                          |            |          | 3 mm          | 120  |
|  Dimensions™ 6  | 60 mm                      | 3" x 6"<br>6" x 6"<br>6" x 9"      | 60 mm   |   |   |   | ✓   | ✓        |            |                          |            | ✓        | 3 mm          | 120  |

Secondary processes and finishes including, but not limited to, face-grind and shot blast, may impact dimensional tolerances from base dimensions.


\* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.

\*\* Custom finishes, contact Belgard Representative for details.


Contact your Belgard Representative for colors and finishes available in your local market.




FOUNDRY & GRAPHITE



CHAMPAGNE




GRAPHITE, CHAMPAGNE & FOUNDRY



GRAPHITE, SUEDE, CHAMPAGNE & LINEN




GRAPHITE, SUNSET & DESERT



LINEN

PICTURED ON SPREAD:  
DIMENSIONS & MODULINE SERIES

# VEHICULAR & ARCHITECTURAL PAVERS

| UNITS   | THICKNESS      | SIZE   | APPLICATIONS  |   |   |   | ADA*  | MECHANICAL INSTALL  | COLORS   |            | SPECIAL ORDER FINISHES** |            |                 | CHAMFER WIDTH  | SQ. FT. PER PALLET   | PCS. PER PALLET                | PALLET WEIGHT (LBS) |
|---|----------------|--|---|---|---|---|---|---|----------|------------|--------------------------|------------|-----------------|--|--|--------------------------------|---------------------|
|   |                |  |  |  |  |  |  |  | Core Mix | DuraFusion | Ground Face              | Shot Blast | Antiqued        |  |  |                                |                     |
|  Avalon Slate Large (3 pc)                                | 60 mm          | 6" x 12"<br>9" x 12"<br>12" x 12"                                  | 60 mm   |   |   |   | ✓   |   | ✓        |            |                          | ✓          | N/A             | 120  | 160  | 3,230                          |                     |
|  Cambridge Cobble® (Square)                              | 60 mm<br>80 mm | 6" x 6"  | 60 mm   | 80 mm   | 80 mm   |   |   |   | ✓        |            |                          | ✓          | Rounded Chamfer | 120 (60 mm)<br>96 (80 mm)  | 480 (60 mm)<br>384 (80 mm)   | 3,230 (60 mm)<br>3,580 (80 mm) |                     |
|  Cambridge Cobble® (Rectangle)                           | 60 mm<br>80 mm | 6" x 9"  | 60 mm   | 80 mm   | 80 mm   | 80 mm   |   |   | ✓        |            |                          | ✓          | Rounded Chamfer | 112 (60 mm)<br>90 (80 mm)  | 300 (60 mm)<br>240 (80 mm)   | 3,020 (60 mm)<br>3,360 (80 mm) |                     |
|  Cambridge Cobble® (Large Rectangle)                     | 60 mm          | 9" x 12"   | 60 mm   |   |   |   |   |   | ✓        |            |                          | ✓          | Rounded Chamfer | 120  | 160  | 3,086                          |                     |
|  Cambridge Cobble® (Circle Kit)                           | 60 mm          | 6" x various   | 60 mm   |   |   |   |   |   | ✓        |            |                          | ✓          | Rounded Chamfer | 78.5   | N/A  | 2,140                          |                     |
|  Catalina™ Grana Large (3 pc)                             | 60 mm          | 6" x 12"<br>9" x 12"<br>12" x 12"                                  | 60 mm   |   |   |   | ✓   |   | ✓        | ✓          | ✓                        | ✓          | 4 mm            | 120  | 160  | 3,230                          |                     |
|  Dublin Cobble® (3 pc)                                    | 60 mm          | 3" x 6"<br>6" x 6"<br>6" x 9"                                      | 60 mm   |   |   |   |   |   | ✓        |            |                          | ✓          | N/A             | 114  | 480  | 3,080                          |                     |
|  Dublin Cobble® (Large Square)                           | 60 mm          | 9" x 9"  | 60 mm   |   |   |   |   |   | ✓        |            |                          | ✓          | N/A             | 106  | 200  | 2,860                          |                     |
|  Holland Stone 60 mm<br><i>(sizes sold separately)</i>  | 60 mm          | 4" x 4"<br>4" x 8"<br>8" x 8"<br>8" x 12"<br>8" x 16"<br>16" x 16" | 60 mm   |   |   |   | ✓   |   | ✓        | ✓          | ✓                        | ✓          | 4 mm            | 98 (4 x 4)<br>120 (4 x 8)<br>106 (8 x 8)<br>240 (8 x 8)<br>106 (8 x 12)<br>160 (8 x 12)<br>106 (8 x 16)<br>120 (8 x 16)<br>106 (16 x 16)<br>60 (16 x 16) | 880 (4 x 4)<br>540 (4 x 8)<br>240 (8 x 8)<br>240 (8 x 8)<br>160 (8 x 12)<br>160 (8 x 12)<br>120 (8 x 16)<br>120 (8 x 16)<br>60 (16 x 16) | 3,020 (4 x 8)                  |                     |
|  Holland Stone 80 mm<br><i>(sizes sold separately)</i> | 80 mm          | 4" x 4"<br>4" x 8"<br>8" x 8"<br>8" x 12"                          | 80 mm   | 80 mm   | 80 mm<br><i>(4 x 4, 4 x 8, 8 x 8 only)</i>  | 80 mm<br><i>(4 x 8 only)</i>  | ✓   | 80 mm<br><i>4 x 8 Herringbone Pattern</i>   | ✓        | ✓          | ✓                        | ✓          | 4 mm            | 78 (4 x 4)<br>96 (4 x 8)<br>85 (8 x 8)<br>192 (8 x 8)<br>85 (8 x 12)<br>128 (8 x 12)   | 704 (4 x 4)<br>432 (4 x 8)<br>192 (8 x 8)<br>128 (8 x 12)  | 3,575 (4 x 8)                  |                     |
|  Mega-Arbel®   | 60 mm<br>80 mm | 15¾" x 21"   | 60 mm<br>80 mm  |   |   |   |   |   | ✓        |            |                          |            | N/A             | 104.4 (60 mm)<br>78.3 (80 mm)  | 72 (60 mm)<br>54 (80 mm)   | 2,850 (60 mm)<br>2,870 (80 mm) |                     |
|  Mega-Lafitt™ Slate (3 pc)                              | 80 mm          | 5¼" x 10½"<br>10½" x 10½"<br>10½" x 15¾"                           | 80 mm   |   |   |   |   |   | ✓        |            |                          | ✓          | N/A             | 92.7   | 117  | 3,195                          |                     |
|  Mega-Lafitt™ Slate (Large Square)                     | 80 mm          | 15¾" x 15¾"  | 80 mm   |   |   |   |   |   | ✓        |            |                          | ✓          | N/A             | 93   | 54   | 3,245                          |                     |
|  Melville™ Plank Slim (3 pc)                            | 60 mm          | 5" x 11¼"<br>5" x 15¾"<br>5" x 19¼"                                | 60 mm   |   |   |   | ✓   |   | ✓        |            | ✓                        | ✓          | 3 mm            | 114.5  | 210  | 3,150                          |                     |
|  Melville™ Plank Large (3 pc)                           | 60 mm          | 7½" x 11¼"<br>7½" x 15¾"<br>7½" x 19¼"                             | 60 mm   |   |   |   | ✓   |   | ✓        |            | ✓                        | ✓          | 3 mm            | 122.7  | 150  | 3,380                          |                     |

Interlocking pavers can be used for a variety of different vehicular applications. Appropriate shape and thickness is based on project-specific conditions including type of loading, base design, and subgrade conditions. It is recommended that you consult a Belgard representative in your area before specifying products for vehicular applications.

Secondary processes and finishes including, but not limited to, face-grind and shot blast, may impact dimensional tolerances from base dimensions.

\* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.

\*\* Custom finishes, contact Belgard Representative for details.

Contact your Belgard Representative for colors and finishes available in your local market.

# VEHICULAR & ARCHITECTURAL PAVERS (CONTINUED)




| UNITS  | THICKNESS      | SIZE                                  | APPLICATIONS  |   |   |   | ADA*  | COLORS   |            | SPECIAL ORDER FINISHES** |            |          | CHAMFER WIDTH | SQ. FT. PER PALLET           | PCS. PER PALLET            | PALLET WEIGHT (LBS)            |
|--|----------------|---------------------------------------|---|---|---|---|---|----------|------------|--------------------------|------------|----------|---------------|------------------------------|----------------------------|--------------------------------|
|  |                |                                       |  |  |  |  |  | Core Mix | DuraFusion | Ground Face              | Shot Blast | Antiqued |               |                              |                            |                                |
|  Mission 4 x 8                  | 60 mm<br>80 mm | 4" x 8"                               | 60 mm<br>80 mm  | 80 mm   | 80 mm   |   | ✓   |          | ✓          |                          |            |          | 6 mm          | 105 (60 mm)<br>82 (80 mm)    | 486 (60 mm)<br>378 (80 mm) | 2,940 (60 mm)<br>3,034 (80 mm) |
|  Mission 6 x 6                  | 60 mm          | 6" x 6"                               | 60 mm   |   |   |   | ✓   |          | ✓          |                          |            |          | 6 mm          | 105                          | 432                        | 2,940                          |
|  Mission 6 x 9                  | 60 mm          | 6" x 9"                               | 60 mm   |   |   |   | ✓   |          | ✓          |                          |            |          | 6 mm          | 98                           | 270                        | 2,774                          |
|  Mission 6 x 12                 | 60 mm<br>80 mm | 6" x 12"                              | 60 mm<br>80 mm  | 80 mm   | 80 mm   |   | ✓   |          | ✓          |                          |            |          | 6 mm          | 105 (60 mm)<br>82 (80 mm)    | 216 (60 mm)<br>168 (80 mm) | 2,940 (60 mm)<br>3,120 (80 mm) |
|  Old World Paver™                | 80 mm          | 5½" x 7¾"<br>5½" x 10¼"<br>5½" x 12¼" | 80 mm   |   |   |   |   | ✓        |            |                          |            | ✓        | N/A           | 90.27                        | 256                        | 3,030                          |
|  Origins™ Accent                | 60 mm          | 6" x 9"                               | 60 mm   |   |   |   | ✓   | ✓        |            |                          |            |          | 3 mm          | 112                          | 300                        | 3,020                          |
|  Origins™ 6                      | 60 mm          | 3" x 6"<br>6" x 6"<br>6" x 9"         | 60 mm   |   |   |   | ✓   | ✓        |            |                          |            |          | 3 mm          | 120                          | 480                        | 3,230                          |
|  Origins™ 12                     | 60 mm          | 6" x 12"<br>12" x 12"<br>12" x 18"    | 60 mm   |   |   |   | ✓   | ✓        |            |                          |            |          | 3 mm          | 120                          | 120                        | 3,180                          |
|  Origins™ 18                     | 60 mm          | 9" x 18"<br>18" x 18"<br>27" x 18"    | 60 mm   |   |   |   | ✓   | ✓        |            |                          |            |          | 3 mm          | 112.5                        | 50                         | 3,152                          |
|  Quarry Stone (3 pc)            | 60 mm          | 9" x 12"<br>9" x 9"<br>6" x 9"        | 60 mm   |   |   |   |   |          | ✓          |                          |            |          |               | 105                          | 198                        | 2,940                          |
|  Quarry Stone 9 x 12          | 60 mm          | 9" x 12"                              | 60 mm   |   |   |   |   |          | ✓          |                          |            |          |               | 105                          | 144                        | 2,940                          |
|  Quarry Stone 9 x 9           | 60 mm          | 9" x 9"                               | 60 mm   |   |   |   |   |          | ✓          |                          |            |          |               | 98                           | 180                        | 2,744                          |
|  Quarry Stone 6 x 9           | 60 mm          | 6" x 9"                               | 60 mm   |   |   |   |   |          | ✓          |                          |            |          |               | 98                           | 270                        | 2,774                          |
|  Quarry Stone 6 x 6           | 60 mm          | 6" x 6"                               | 60 mm   |   |   |   |   |          | ✓          |                          |            |          |               | 105                          | 432                        | 2,940                          |
|  Urbana® Stone (3 pc)          | 60 mm<br>80 mm | 4" x 8"<br>8" x 8"<br>8" x 12"        | 60 mm<br>80 mm  | 80 mm   |   |   | ✓   | ✓        |            |                          |            | ✓        | N/A           | 116.4 (60 mm)<br>105 (80 mm) | 243 (60 mm)<br>243 (80 mm) | 3,814 (60 mm)<br>3,814 (80 mm) |
|  Urbana® Stone (Large Square) | 60 mm<br>80 mm | 12" x 12"                             | 60 mm<br>80 mm  | 80 mm   |   |   | ✓   | ✓        |            |                          |            | ✓        | N/A           | 105 (60 mm)<br>105 (80 mm)   | 108 (60 mm)<br>108 (80 mm) | 3,820 (60 mm)<br>3,820 (80 mm) |

Secondary processes and finishes including, but not limited to, face-grind and shot blast, may impact dimensional tolerances from base dimensions.

\* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.

\*\* Custom finishes, contact Belgard Representative for details.

Contact your Belgard Representative for colors and finishes available in your local market.



# PERMEABLE PAVERS

| UNITS                                | THICKNESS         | SIZE                                 | APPLICATIONS |       |                    |                    | ADA* | MECHANICAL INSTALL | FINISHES |            | SPECIAL ORDER FINISHES** |            |          | MANUF. JOINT WIDTH | % SURFACE OPENING | CHAMFER WIDTH | SQ. FT. PER PALLET        | PCS. PER PALLET             | PALLET WEIGHT (LBS)           |
|--------------------------------------|-------------------|--------------------------------------|--------------|-------|--------------------|--------------------|------|--------------------|----------|------------|--------------------------|------------|----------|--------------------|-------------------|---------------|---------------------------|-----------------------------|-------------------------------|
|                                      |                   |                                      |              |       |                    |                    |      |                    | Standard | DuraFusion | Ground Face              | Shot Blast | Antiqued |                    |                   |               |                           |                             |                               |
| 3" x 12"                             | 80 mm             | 3" x 12"                             | 80 mm        | 80 mm |                    |                    | ✓    |                    | ✓        |            | ✓                        | ✓          |          | 7 mm               | 10%               | 3 mm          | 88                        | 352                         | 3012                          |
| 4.5" x 9"<br><i>(See note below)</i> | 80 mm             | 4.5" x 9"                            | 80 mm        | 80 mm | 80 mm              | 80 mm              | ✓    | ✓                  | ✓        |            | ✓                        | ✓          |          | 10 mm              | 10%               | 3 mm          | 90                        | 320                         | 3100                          |
| 6" x 6"                              | 80 mm             | 6" x 6"                              | 80 mm        | 80 mm | 80 mm              |                    | ✓    |                    | ✓        |            | ✓                        | ✓          |          | 7 mm               | 7%                | 3 mm          | 96                        | 384                         | 3295                          |
| 6" x 12"<br><i>(See note below)</i>  | 80 mm<br>101.6 mm | 6" x 12"                             | 80 mm        | 80 mm | 101.6 mm           | 101.6 mm           | ✓    | ✓                  | ✓        |            | ✓                        | ✓          |          | 7 mm               | 5%                | 3 mm          | 96 (80 mm)<br>69 (101 mm) | 192 (80 mm)<br>144 (101 mm) | 3350 (80 mm)<br>2867 (101 mm) |
| 12" x 12"                            | 80 mm             | 12" x 12"                            | 80 mm        | 80 mm |                    |                    | ✓    |                    | ✓        |            | ✓                        | ✓          |          | 7 mm               | 3%                | 3 mm          | 96                        | 96                          | 3485                          |
| <b>ADDITIONAL PRODUCT LINES</b>      |                   |                                      |              |       |                    |                    |      |                    |          |            |                          |            |          |                    |                   |               |                           |                             |                               |
| Aqua Dublin                          | 80 mm             | 3½" x 6¼"<br>6¼" x 6¼"<br>10¼" x 6¼" | 80 mm        | 80 mm |                    |                    | ✓    | ✓                  | ✓        |            | ✓                        | ✓          | ✓        | 10 mm              | 10%               | 3 mm          | 92.4                      | 288                         | 3240                          |
| Narrow Joint Mission                 | 80 mm             | 6" x 12"<br>6" x 6"<br>4" x 8"       | 80 mm        | 80 mm | 80 mm<br>(6" x 6") | 80 mm<br>(4" x 8") | ✓    |                    |          | ✓          |                          | ✓          |          | 4 mm               | 4%<br>4%<br>5%    | 4 mm          | 93<br>93<br>93            | 192<br>384<br>432           | 3,441<br>3,441<br>3,441       |
| Narrow Joint Quarry                  | 80 mm             | 6" x 9"<br>6" x 6"                   | 80 mm        | 80 mm | 80 mm<br>(6" x 6") | 80 mm<br>(6" x 9") |      |                    |          | ✓          |                          |            | ✓        | 4 mm               | 4%                | N/A           | 87<br>93                  | 240<br>384                  | 3,219<br>3,441                |

NOTE: 6 x 12 x 101mm and 4.5 x 9 x 80mm are available in herringbone pattern. Contact your Belgard Representative for further details and product specific specifications.  
NOTE: Narrow Joint initial surface infiltration rate is approximately 150" per hour. Narrow Joint products recommended for residential projects only.

# CONCRETE GRID PAVEMENTS

| UNITS      | THICKNESS | SIZE        | APPLICATIONS |  |  |  | ADA | MECHANICAL INSTALL | FINISHES |            | SPECIAL ORDER FINISHES** |            |          | % SURFACE OPENING | SQ. FT. PER PALLET | PCS. PER PALLET | PALLET WEIGHT (LBS) |
|------------|-----------|-------------|--------------|--|--|--|-----|--------------------|----------|------------|--------------------------|------------|----------|-------------------|--------------------|-----------------|---------------------|
|            |           |             |              |  |  |  |     |                    | Standard | DuraFusion | Ground Face              | Shot Blast | Antiqued |                   |                    |                 |                     |
| Turfstone™ | 80 mm     | 15¾" x 23½" | 80 mm        |  |  |  |     |                    | ✓        |            |                          |            |          | 40%               | 101                | 40              | 2680                |

\* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.


\*\* Custom finishes, contact Belgard Representative for details.

Contact your Belgard Representative for colors and finishes available in your local market.

Secondary processes and finishes including, but not limited to, face-grind and shot blast, may impact dimensional tolerances from base dimensions.




AQUA DUBLIN



AQUALINE




AQUALINE



AQUA DUBLIN



AQUALINE



AQUALINE

# PORCELAIN PAVERS

| UNITS  | APPEARANCE | THICKNESS | SIZE      | COLOR OPTIONS  | ADA   | PEDESTAL APPLICATION | SQ. FT. PER PALLET | PCS. PER PALLET | PALLET WEIGHT (LBS) |
|--|------------|-----------|-----------|--|---|----------------------|--------------------|-----------------|---------------------|
|  |            |           |           |  |  |                      |                    |                 |                     |
|  Foundation   | Concrete   | ¾"        | 24" x 24" | Amber Beige, Scandina Gray                             | ✓   | ✓                    | 275.04             | 72              | 2,517.36            |
|  Genoa  | Stone      | ¾"        | 24" x 24" | Blanco, Crema  | ✓   | ✓                    | 275.04             | 72              | 2,517.36            |
|  Genoa  | Stone      | ¾"        | 12" x 24" | Blanco, Crema  | ✓   | ✓                    | 303.6              | 160             | 2,807               |
|  Glocal   | Concrete   | ¾"        | 24" x 24" | Clear, Ideal, Type, Classic, Absolute*, Chamois*       | ✓   | ✓                    | 232.5              | 60              | 2,160               |
|  Glocal   | Concrete   | ¾"        | 24" x 48" | Clear, Ideal, Type, Classic, Absolute*, Chamois*       | ✓   | ✓                    | 271.25             | 35              | 2,621               |
|  Glocal<br><i>(special order - allow 12-14 weeks lead time)</i> | Concrete   | ¾"        | 32" x 32" | Clear*, Ideal*, Type*, Classic*, Absolute*, Chamois*   | ✓   | ✓                    | 288.96             | 42              | 2,750               |
|  Glocal<br><i>(special order - allow 12-14 weeks lead time)</i> | Concrete   | ¾"        | 48" x 48" | Ideal*, Type*, Classic*, Absolute*, Chamois*           | ✓   | ✓                    | 310                | 20              | 3,009               |
|  Jurupa   | Wood       | ¾"        | 12" x 48" | Cool, Master, Camp                                     | ✓   | ✓                    | 279                | 72              | 2,664               |
|  Jurupa  | Wood       | ¾"        | 24" x 24" | Cool, Master, Camp                                     | ✓   | ✓                    | 232.5              | 60              | 2,160               |
|  Lagoon   | Stone      | ¾"        | 24" x 48" | Moonbeam, Sandshell, Atmosphere, Sharkskin, Cloudburst | ✓   | ✓                    | 271.25             | 35              | 2,621               |
|  Lemmy  | Concrete   | ¾"        | 32" x 32" | Nimbus, Excalibur, Venom, King                         | ✓   | ✓                    | 288.96             | 42              | 2,750               |
|  Na.Me  | Stone      | ¾"        | 24" x 24" | Bourgogne, Jura Beige                                  | ✓   | ✓                    | 232.5              | 60              | 2,160               |
|  Noon   | Wood       | ¾"        | 12" x 48" | Daylight, Ember, Honey                                 | ✓   | ✓                    | 279                | 72              | 2,664               |
|  Quarziti 2.0   | Stone      | ¾"        | 24" x 24" | Glacier, Mountains, Waterfall, River, Mantle           | ✓   | ✓                    | 232.5              | 60              | 2,160               |
|  Quarziti 2.0   | Stone      | ¾"        | 12" x 24" | Glacier, Mountains, Waterfall, River, Mantle*          | ✓   | ✓                    | 232.4              | 120             | 2,201               |

*If installing on elevated surface over ¾" all porcelain must have a factory applied fiber mesh backing.*

*Spacers are required for all porcelain paver installations. For vehicular applications, there must be a mortar install over a concrete slab. Visit [Belgard.com/porcelain](http://Belgard.com/porcelain) for additional installation details.*

\* Special Order

# PORCELAIN PAVERS (CONTINUED)

| UNITS   | APPEARANCE | THICKNESS | SIZE      | COLOR OPTIONS   | ADA   | PEDESTAL APPLICATION | SQ. FT. PER PALLET | PCS. PER PALLET | PALLET WEIGHT (LBS) |
|---|------------|-----------|-----------|---|---|----------------------|--------------------|-----------------|---------------------|
|   |            |           |           |   |  |                      |                    |                 |                     |
|  <b>Quarziti 2.0</b><br><i>(special order - allow 12-14 weeks lead time)</i> | Stone      | ¾"        | 18" x 36" | Glacier*, Mountains*, Waterfall*, River*, Mantle*   | ✓   | ✓                    | 234.9              | 54              | 2,235               |
|  <b>Quarziti 2.0</b>   | Stone      | ¾"        | 24" x 48" | Glacier, Mountains, Waterfall, River, Mantle*   | ✓   | ✓                    | 271.25             | 35              | 2,621               |
|  <b>Silverlake</b>   | Stone      | ¾"        | 24" x 24" | Braies, Resia, Moritz*, Nemi, Moro*, Orsi   | ✓   | ✓                    | 232.5              | 60              | 2,160               |
|  <b>Silverlake</b>   | Stone      | ¾"        | 24" x 48" | Braies, Resia, Moritz*, Nemi, Moro*, Orsi   | ✓   | ✓                    | 271.25             | 35              | 2,621               |
|  <b>Silverlake</b><br><i>(special order - allow 12-14 weeks lead time)</i>   | Stone      | ¾"        | 32" x 32" | Braies*, Resia*, Moritz*, Nemi*, Moro*, Orsi*   | ✓   | ✓                    | 289.33             | 42              | 2,751               |
|  <b>Unico</b>  | Various    | ¾"        | 13" x 24" | <b>Glocal:</b> Ideal, Type, Classic, Clear; <b>Noon:</b> Daylight, Ember, Honey; <b>Quarziti 2.0:</b> Glacier, Mountains, Waterfall, River; | ✓   |                      | 254.82             | 120             | 2,080               |



### RESISTANT TO FREEZE THAW

Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F).



### RESISTANT TO BREAKAGE

Because every slab can withstand loads of over 2200 lbs.



### RESISTANT TO CHEMICAL AGGRESSION

Because our pavers are unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.



### RESISTANT TO STAINS

Because a high density and ultra-low absorption rate creates a tight paver surface, it fends off surface mold, moss, dirt and other types of stains.



### EASY TO LAY

Because of superior accuracy in dimensional sizing and linear sides, the pavers allow for perfectly executed installations with tight and accurate lines.



### EASY TO CLEAN

Because it can be cleaned with normal household cleaners and even pressure washed with a **low pressure** washing device.\*\*




### EASY TO REMOVE

Because a 24" x 24" slab weighs just 37 lbs., its light weight permits easy removal, serviceability and even reusability. (Excluding adhered installations).



### EASY FOR YOU

Because the structured top textures formed on the surface of our pavers create slip resistant surfaces.



QUARZITI 2.0



NOON



QUARZITI 2.0



GLOCAL



NA.ME





SILVERLAKE

# SEGMENTAL RETAINING AND FREESTANDING WALLS (SRW & FSW)

| UNITS   | UNIT SIZE |  |                                  | CONNECTION TYPE |  | ACCESSORIES*<br>(SOLD SEPARATELY) |          | TEXTURE  |       |         | FACE STYLES |         |                  |           | BATTER/<br>SETBACK                         | SQ. FT.<br>PER<br>PALLET | PCS. PER<br>PALLET | PALLET<br>WEIGHT<br>(LBS) |
|---|-----------|--|----------------------------------|-----------------|--|-----------------------------------|----------|----------|-------|---------|-------------|---------|------------------|-----------|--|--------------------------|--------------------|---------------------------|
|   | Height    | Width  | Depth                            | Block           | Other                                    | Column/<br>Corner Unit            | Cap Unit | Sculpted | Split | Tumbled | Straight    | Beveled | Virtual<br>Joint | Stone Cut |  |                          |                    |                           |
|  Ashlar Tandem™           | 7"        | 13 <sup>3</sup> / <sub>16</sub> ", 15 <sup>1</sup> / <sub>16</sub> ",<br>18 <sup>7</sup> / <sub>16</sub> " | 2 <sup>5</sup> / <sub>16</sub> " | Modular Block   | Reinforced<br>Polypropylene<br>Connector |                                   | ✓        | ✓        |       |         |             |         |                  |           | 0 / 4°                                     | 70.1                     | 90                 | 2,003                     |
|  Diamond® 9D             | 6"        | 16.7"  | 9"                               | Rear Lip        |  |                                   | ✓        |          | ✓     |         |             |         |                  |           | 10.6°; 1.125"<br>Per Course                | 35.5                     | 48                 | 2,670                     |
|  Diamond Pro®            | 8"        | 18"  | 12"                              | Rear Lip        |  |                                   | ✓        |          | ✓     |         | ✓           | ✓       | ✓                |           | 7.1°;<br>1" Per Course                     | 45                       | 45                 | 3,375                     |
|  Diamond Pro® PS         | 8"        | 18"  | 12"                              |                 | Fiberglass Pin                           |                                   | ✓        |          | ✓     |         |             |         | ✓                | ✓         | 1.7° or 7.1°                               | 8                        | 36                 | 2,680                     |
|  GeoHold Pro             | 8"        | 18"  | 12"                              |                 | Mechanical<br>Connection                 |                                   | ✓        |          | ✓     |         | ✓           |         |                  |           | 1.7°                                       | 36                       | 36                 | 2,450                     |
|  Melville Tandem™         | 7"        | 13 <sup>3</sup> / <sub>16</sub> ", 15 <sup>1</sup> / <sub>16</sub> ",<br>18 <sup>7</sup> / <sub>16</sub> " | 2 <sup>5</sup> / <sub>16</sub> " | Modular Block   | Reinforced<br>Polypropylene<br>Connector |                                   | ✓        |          |       |         | ✓           |         |                  |           | 0 / 4°                                     | 70.1                     | 90                 | 2,003                     |
|  Tandem® Modular Block   | 7"        | 7 <sup>7</sup> / <sub>8</sub> "  | 7 <sup>7</sup> / <sub>8</sub> "  |                 |  |                                   |          |          |       |         |             |         |                  |           | N/A  | 49.29                    | 128                | 2,816                     |
|  Vertica®               | 8"        | 18"  | 11"                              | Surface Lug     |  | ✓                                 | ✓        |          | ✓     |         | ✓           | ✓       | ✓                |           | 2°; 9/32"<br>Setback & 4°;<br>1/2" Setback | 45                       | 45                 | 3,825                     |
|  Vertica Pro®          | 8"        | 18"  | 20"                              | Surface Lug     |  | ✓                                 | ✓        |          | ✓     |         | ✓           | ✓       |                  |           | 2°; 9/32"<br>Setback                       | 30                       | 30                 | 3,600                     |
|  Vertica® Planter Unit | 8"        | 18"  | 16"                              | Surface Lug     |  |                                   |          |          | ✓     |         | ✓           | ✓       |                  |           | 5" Nominal                                 | 30                       | 30                 | 2,850                     |

# COMPLEMENTARY PRODUCTS

| PRODUCT   | SIZE                   | PALLET INFORMATION  |
|---|------------------------|---------------------|
|  Diamond® 9D Cap              | 3" x 18" / 12" x 13"   | 63 units per pallet |
|  Diamond Pro® 4" Cap | 4" x 18" x 13"         | 64 units per pallet |
|  Diamond Pro® 8" Cap | 8" x 18" x 13"         | 40 units per pallet |
|  Diamond Pro® PS Cap          | 3" x 8" x 13"          | XX                  |
|  GeoHold® Cap                | 4" x 18" / 12" x 13"   | XX                  |
|  Tandem Cap                   | 15" x 24" x 3¼"        | 32 units per pallet |
|  U Start Base Block           | 3½" x 18½" x 12"       | 56 units per pallet |
|  Vertica® & Vertica Pro® Cap | 4" x 17¼" / 12" x 10¾" | XX                  |



# ROOFTOP PAVERS & PEDESTALS

Possibilities are endless when designing and building plaza decks using Belgard Commercial Pedestals. The pedestal system's elevation range of 1/8" - 36" allows for building plaza decks over almost any sloping or difficult surface.

Building plaza decks over occupied space has never been easier. The unique screw-to-adjust feature eliminates tedious and time-consuming installation often associated with constructing level decks over sloping surfaces. Construction crews quickly level each plaza paver by adjusting pedestal height, even while loaded.

Future access to waterproofing entails simply removing specific plaza pavers. Pedestal adjustments within the allowed range are accomplished by merely adjusting pedestal height and you're done – saving time and money.

## SPECIFICATIONS

- Supports up to 1000 lbs.
- Maximum elevation up to 36" using couplers and braces
- Impervious to water, mold & freeze-thaw
- Preassembled
- Packaged in weather-resistant boxes
- Contains 20% post-industrial recycled material
- Engagement "bumps" warn of over-extension

## RESOURCES AVAILABLE

- CAD details
- Specifications
- Technical cut sheets
- Maintenance guide
- Videos: planning, installation & more
- Take-off assistance
- Samples available
- Technical assistance
- Customer service



**Model PR1**  
Adjusts from 1.2" - 2.55"

**Model PR2**  
Adjusts to 6.1"

**Model PR3**  
Adjusts to 16"

|                              | MODEL SE SUPPORTS | MODEL NM SUPPORTS | PEDESTAL PRIME SUPPORTS |
|------------------------------|-------------------|-------------------|-------------------------|
| Self Leveling Head           | ✓                 |                   | ✓                       |
| Fixed Head                   | ✓                 | ✓                 | ✓                       |
| Adjustable                   | ✓                 | ✓                 | ✓                       |
| Extendable w/ Coupler        | ✓                 | ✓                 | ✓                       |
| Adjustment Key               | ✓                 | ✓                 | ✓                       |
| Locking IPE Pins             | ✓                 | ✓                 | ✓                       |
| Recycleable (LEED)           | ✓                 | ✓                 | ✓                       |
| Loading Capacity             | ✓                 | ✓                 | ✓                       |
| Integrated Extension Coupler |                   |                   | ✓                       |

## ROOFTOP PLAZA SLABS


| UNITS                  | PAVER THICKNESS | PAVER SIZE | APPLICATIONS  |                   | ADA  | SQ. FT. PER PALLET | PALLET WEIGHT (LBS) |
|------------------------|-----------------|------------|---|-------------------|--|--------------------|---------------------|
|                        |                 |            |  | ROOFTOPS & PLAZAS |  |                    |                     |
| Saturna 12 x 24        | 50 mm           | 12" x 24"  | ✓   | ✓                 | ✓  | 96                 | 2,300               |
| Saturna 18 x 18        | 40mm            | 18" x 18"  | ✓   | ✓                 | ✓  | 135                | 2,900               |
| Saturna 24 x 24        | 50 mm           | 24" x 24"  | ✓   | ✓                 | ✓  | 100                | 2,400               |
| Texada 12 x 24         | 50 mm           | 12" x 24"  | ✓   | ✓                 | ✓  | 96                 | 2,300               |
| Texada 18 x 18         | 40 mm           | 18" x 18"  | ✓   | ✓                 | ✓  | 135                | 2,900               |
| Texada 24 x 24         | 50 mm           | 24" x 24"  | ✓   | ✓                 | ✓  | 100                | 2,400               |
| Western Plaza Slab     | 1 13/16"        | 24" x 24"  | ✓   | ✓                 | ✓  | 96                 | 2,208               |
| Ipe Wood Plaza Slab    | 1.69"           | 24" x 24"  | ✓   | ✓                 | ✓  | 176                | 990.88              |
| Ipe Wood Plaza Slab    | 1.69"           | 24" x 48"  | ✓   | ✓                 | ✓  | 176                | 990.88              |
| Cumaru Wood Plaza Slab | 1.69"           | 24" x 24"  | ✓   | ✓                 | ✓  | 176                | 990.88              |
| Cumaru Wood Plaza Slab | 1.69"           | 24" x 48"  | ✓   | ✓                 | ✓  | 176                | 990.88              |

## CUBES (PLANTERS/BENCHES) & CUBE TOPS

| PRODUCT NAME                | COMMON SIZES (CUSTOM SIZES AVAILABLE)  | COLORS (CUSTOM COLORS AVAILABLE)                      | MINIMUM QTY |
|-----------------------------|--|---|-------------|
| Powder Coated Aluminum Cube | 24"L x 24"H x 20"H<br>24"L x 24"H x 36"H<br>48"L x 24"H x 20"H<br>48"L x 24"H x 36"H | Red, Black, White, Charcoal,<br>Silver, Bronze, Zinc* | 1           |
| Ipe Cube                    | 24"L x 24"H x 16.5"H<br>48"L x 24"H x 16.5"H   | Brown (Natural variations to be expected)             | 1           |
| Ipe Top                     | 24"L x 24" H<br>48"L x 24"H  | Brown (Natural variations to be expected)             | 1           |

## PEDESTALS & ACCESSORIES

| PRODUCT NAME | PRODUCT DESCRIPTION              | PIECES PER CARTON |
|--------------|----------------------------------|-------------------|
| STAR-T       | 3/8" - 9/16" (10-15mm)           | 50                |
| STAR-B       | 3/16" Extension (5mm)            | 50                |
| SE0-P        | 1.125" - 1.5" (28-38mm)          | 40                |
| SE1-P        | 1.5" - 2" (37.5-50mm)            | 30                |
| SE2-P        | 2" - 3" (50-75mm)                | 25                |
| SE3-P        | 3" - 4.75" (75-120mm)            | 25                |
| SE4-P        | 4.75" - 6.75" (120-170mm)        | 25                |
| SE5-P        | 6.75" - 8.75" (170-215mm)        | 25                |
| NM-1         | 1" - 1.57" (25-40mm)             | 40                |
| NM-2         | 1.57" - 2.75" (40-70mm)          | 30                |
| NM-3         | 2.36" - 3.93" (60-100mm)         | 25                |
| NM-4         | 3.54" - 6.30" (90-160mm)         | 15                |
| NM-5         | 5.90" - 10.63" (150-270mm)       | 12                |
| NM-EXT       | 5.7" Extension (145mm)           | 30                |
| EH-12        | 1/2" Fixed (12mm)                | 250               |
| EH-15        | 5/8" Fixed (16mm)                | 200               |
| EH-20        | 3/4" Fixed (20mm)                | 150               |
| RUB-14       | 1/4" Fixed RUBBER                | 150               |
| RUB-38       | 3/8" Fixed RUBBER                | 150               |
| RUB-PINS     | 1/4" Fixed w/ 4 Pins             | 100               |
| PR1          | 1.2" - 2.55" Adjustable Pedestal | 1 per box         |
| PR2          | 6.1" Adjustable Pedestal         | 1 per box         |
| PR3          | 16" Adjustable Pedestal          | 1 per box         |



ROOFTOP PLAZA SLABS - WESTERN PLAZA CONCRETE SLAB



ROOFTOP PLAZA CONCRETE SLABS - SATURNA





ROOFTOP PLAZA CONCRETE SLABS - TEXADA



ROOFTOP PLAZA SLABS - WOOD PLAZA SLAB



ALUMINUM CUBE COLORS



## STOCKED COLORS FOR OLDCASTLE PACIFIC - FONTANA

(SUBJECT TO CHANGE)

| PRODUCT NAME                         | CORE MIX  | DURAFUSION   |
|--------------------------------------|---|--|
| <b>PAVERS</b>                        |   |  |
| Aqua Dubin                           | Rio, Toscana  |  |
| Aqualine 4.5 x 9                     | Rio, Toscana, Victorian   |  |
| Avalon 3-piece Large                 | Bella, Montecito, Toscana, Victorian  |  |
| Cambridge Cobble 6 x 9 30 mm Overlay | Toscana, Victorian  |  |
| Cambridge Cobble 6 x 6 30 mm Overlay | Toscana, Victorian  |  |
| Cambridge Cobble 6 x 6 60 mm         | Autumn, Bella, Montecito, Rio Toscana, Victorian                                |  |
| Cambridge Cobble 6 x 9 60 mm         | Autumn, Bella, Graphite, Montecito, Rio, Toscana, Victorian                     |  |
| Cambridge Cobble 9 x 12 60 mm        | Bella, Victorian  |  |
| Cambridge Cobble Circle 60 mm        | Bella, Montecito, Toscana, Victorian  |  |
| Catalina Grana 3-piece Large         | Autumn, Bella, Montecito, Rio Toscana, Victorian                                | Anthracite, Cream Tan Brown, Hickory Scandina Gray, Sepia              |
| Dimensions 3 x 12                    | Rio, Toscana, Victorian   | Arctic White, Fog, Midnight  |
| Dimensions 6 x 9                     | Autumn, Bella, Foundry, Graphite, Rio Riviera, Santa Monica, Toscana, Victorian | Anthracite, Cream Tan Brown, Hickory Scandina Gray, Shaded Gray, Sepia |
| Dimensions 18                        | Bella, Linen, Montecito Toscana, Victorian                                      | Anthracite, Cream Tan Brown, Hickory Scandina Gray, Sepia              |
| Dimensions 12                        | Bella, Rio, Toscana, Victorian  | Anthracite, Cream Tan Brown, Hickory Scandina Gray, Sepia              |
| Dimensions 6                         | Bella, Rio, Toscana, Victorian  |  |
| Dimensions Slab 12 x 24 60 mm        | Foundry, Graphite, Linen, Rio, Victorian  | Anthracite, Hickory, Scandina Gray Shaded Gray, Sepia                  |
| Dimensions Slab 24 x 24 60 mm        | Autumn, Foundry, Graphite, Linen Rio, Victorian                                 | Anthracite, Hickory, Scandina Gray Shaded Gray, Sepia                  |
| Dublin Cobble 3-piece Tumbled        | Bella, Montecito, Toscana, Victorian  |  |
| Dublin Cobble 9 x 9 Tumbled          | Bella, Montecito, Toscana, Victorian  |  |
| Dublin Cobble Circle Tumbled         | Bella, Montecito, Toscana, Victorian  |  |
| Geometric Shapes                     | Foundry, Graphite, Linen  |  |
| Holland 4 x 8 60mm                   | Bella, Graphite, Rio, Toscana Valencia, Victorian                               |  |
| Holland 4 x 8 80mm                   | Bella, Rio, Toscana, Valencia, Victorian  |  |

## STOCKED COLORS FOR OLDCASTLE PACIFIC - FONTANA

(SUBJECT TO CHANGE)

| PRODUCT NAME               | CORE MIX   | DURAFUSION |
|----------------------------|--|------------|
| <b>PAVERS</b>              |  |            |
| Mega-Arbel Patio Stone     | Rio, Toscana, Victorian                                    |            |
| Melville Plank 5" Slim     | Foundry, Graphite, Linen, Rio, Victorian                   |            |
| Melville Plank 7.5" Large  | Foundry, Graphite, Linen, Rio, Victorian                   |            |
| Module 3-piece             | Rio, Toscana, Victorian                                    |            |
| Origins 6 x 9              | Bella, Graphite, Montecito, Rio Toscana, Victorian         |            |
| Origins 18                 | Bella, Rio, Toscana, Victorian                             |            |
| Origins 12                 | Bella, Rio, Toscana, Victorian                             |            |
| Origins 6                  | Bella, Rio, Toscana, Victorian                             |            |
| Turfstone                  | Gray   |            |
| Urbana Stone               | Toscana, Victorian   |            |
| Urbana Stone 12 x 12       | Toscana, Victorian   |            |
| <b>WALLS</b>               |  |            |
| Ashlar Tandem Wall & Cap   | Riviera, Toscana, Victorian                                |            |
| Diamond 9D                 | Autumn, Graphite, Rio Valley Tan, Victorian                |            |
| Diamond Pro                | Gray, Tan, Victorian                                       |            |
| Melville Tandem Wall & Cap | Riviera, Toscana, Victorian                                |            |
| U Start Base Block         | Gray   |            |
| <b>ACCESSORIES</b>         |  |            |
| Anglia Edger               | Rio, Toscana, Victorian                                    |            |
| Marina Coping              | Autumn, Bella, Graphite, Montecito Rio, Toscana, Victorian |            |
| Melville Curb              | Foundry, Graphite, Victorian                               |            |

## STOCKED COLORS FOR OLDCASTLE PACIFIC - NORTHERN CALIFORNIA

(SUBJECT TO CHANGE)

| PRODUCT NAME                  | CORE MIX  | DURAFUSION   |
|-------------------------------|---|--|
| <b>PAVERS</b>                 |   |  |
| Aqualine 4.5 x 9              | Toscana, Victorian  |  |
| Avalon Slate 3-piece Large    | Aspen, Autumn, Bella, Riviera<br>Toscana, Victorian           |  |
| Cambridge Cobble 6 x 6 60mm   | Autumn, Bella, Riviera<br>Toscana, Victorian                  |  |
| Cambridge Cobble 6 x 9 60mm   | Autumn, Bella, Graphite, Riviera<br>Toscana, Victorian        |  |
| Cambridge Cobble 9 x 12 60mm  | Autumn, Bella, Riviera<br>Toscana, Victorian                  |  |
| Catalina Grana 3-piece Large  | Bella, Riviera, Toscana, Victorian                            | Brown Beige Charcoal, Cream Tan Brown<br>Gray Charcoal, Gray Charcoal Tan<br>Tan Brown Charcoal, Tan Red Charcoal<br>Scandina Gray, Anthracite, Hickory, Sepia |
| Dimensions Accent             | Autumn, Bella, Graphite, Riviera<br>Toscana, Victorian        |  |
| Dimensions 6                  | Bella, Riviera, Toscana, Victorian                            |  |
| Dimensions 12                 | Bella, Riviera, Toscana, Victorian                            | Scandina Gray, Shaded Gray<br>Anthracite, Hickory, Sepia   |
| Dimensions 18                 | Bella, Riviera, Toscana, Victorian                            | Scandina Gray, Shaded Gray<br>Anthracite, Hickory, Sepia   |
| Dimensions Slab 12 x 24 60 mm | Aspen, Foundry, Riviera, Victorian                            | Scandina Gray, Shaded Gray, Anthracite<br>Hickory, Sepia, Arctic White, Midnight   |
| Dimensions Slab 24 x 24 60 mm | Aspen, Foundry, Riviera, Victorian                            | Scandina Gray, Shaded Gray, Anthracite<br>Hickory, Sepia, Arctic White, Midnight   |
| Dublin Cobble 3-piece         | Bella, Riviera, Toscana, Victorian                            |  |
| Dublin Cobble 6 x 9 Border    | Bella, Riviera, Toscana, Victorian                            |  |
| Dublin Cobble Square 9 x 9    | Bella, Riviera, Toscana, Victorian                            |  |
| Geometric Shapes              | Foundry   | Arctic White, Midnight   |
| Holland Stone                 | Graphite, Toscana, Victorian                                  |  |
| Mega-Arbel 60mm               | Toscana, Victorian  |  |
| Origins 6 x 9                 | Aspen, Autumn, Bella, Graphite, Riviera<br>Toscana, Victorian |  |
| Origins 6                     | Bella, Riviera, Toscana, Victorian                            |  |
| Origins 12                    | Bella, Riviera, Toscana, Victorian                            |  |
| Origins 18                    | Bella, Riviera, Toscana, Victorian                            |  |

## STOCKED COLORS FOR OLDCASTLE PACIFIC - NORTHERN CALIFORNIA

(SUBJECT TO CHANGE)

| PRODUCT NAME                 | CORE MIX                                       | DURAFUSION  |
|------------------------------|--|---|
| <b>PAVERS</b>                |  |   |
| Quarry Stone 3-piece         |  | Cameron Cream, Chaco Canyon, Oak Barrel<br>Rustic Yellowstone, Sequoia Sandstone<br>Sierra Granite            |
| Quarry Stone 9 x 12          |  | Cameron Cream, Chaco Canyon, Oak Barrel<br>Rustic Yellowstone, Sequoia Sandstone<br>Sierra Granite            |
| Quarry Stone 9 x 9           |  | Cameron Cream, Chaco Canyon, Oak Barrel<br>Rustic Yellowstone, Sequoia Sandstone<br>Sierra Granite            |
| Quarry Stone 6 x 9           |  | Cameron Cream, Chaco Canyon, Charcoal<br>Oak Barrel, Rustic Yellowstone,<br>Sequoia Sandstone, Sierra Granite |
| Quarry Stone 6 x 6           |  | Cameron Cream, Chaco Canyon, Oak Barrel<br>Rustic Yellowstone, Sequoia Sandstone<br>Sierra Granite            |
| Turfstone                    | Gray   |   |
| Urbana 12 x 12 60mm          | Toscana, Victorian                             |   |
| Urbana Stone 60mm            | Toscana, Victorian                             |   |
| <b>WALLS</b>                 |  |   |
| Diamond Pro                  | Gray, Tan                                      |   |
| Melville Tandem              | Riviera, Toscana, Victorian                    |   |
| Tandem Wall Ashlar w/ Joints | Riviera, Toscana, Victorian                    |   |
| Tandem Cap                   | Riviera, Toscana, Victorian                    |   |
| <b>ACCESSORIES</b>           |  |   |
| Anglia Edger                 | Riviera, Toscana, Victorian                    |   |
| Landings Step Unit           | Graphite, Toscana, Victorian                   |   |
| Marina Coping                | Bella, Graphite, Riviera<br>Toscana, Victorian |   |
| Melville Curb                | Graphite, Toscana, Victorian                   |   |

### PLEASE CALL FOR AVAILABILITY ON NON-STOCKED COLORS.

- Minimum non-stocking item order quantity is 1,000 sqft for pavers and 500 sqft for walls
- Setup charges will apply on non-stocking item orders less than 3,000 sqft for pavers and 1,000 sqft for walls
- Non-stocking item orders may take 6 to 8 weeks to manufacture + 2 weeks to Antique (Tumble)



EXIT



MELVILLE PLANK PAVERS

# PROFESSIONAL SUPPORT



## ENVIRONMENTAL SOLUTIONS

Belgard consultants can work with your team to develop the best PICP system design or retaining wall configuration to control runoff volume and discharge rates, improve the quality of local groundwater, reduce or prevent downstream impacts, and minimize the land consumed for stormwater management.



## CAD FILES

For your convenience, Belgard offers a constantly expanding library of easy-to-download CAD files of our products and patterns.



## CONTINUING EDUCATION

Belgard offers a variety of ongoing educational programs for our industry partners, including Lunch & Learns, online CEU courses, and our Belgard University training program.



## SITE PLANNING

The experts at Belgard can help you optimize your site in a number of ways—whether you're looking for creative ways to define public spaces, manage or harvest stormwater, or increase the useable space for development.



## ENGINEERING SERVICES

Our team of design consultants can help address both aesthetic and engineering design concerns, material quantity estimates and permit ready plans.

# OLDCASTLE PACIFIC



10714 Poplar Avenue  
Fontana, CA 92337  
Ph: 909.355.6422  
Toll Free: 866.749.3838

426 E Grant Line Rd  
Tracy, CA 95376  
Ph: 209.833.7366

13775 Llagas Ave  
San Martin, CA 95046  
Ph: 408.686.9627

4202 Gibraltar Court  
Stockton, CA 95206  
Ph: 209.983.1609  
Fx: 209.983.8074

5787 Obata Way  
Gilroy, CA 95020  
Ph: 408.984.8800

BELGARD.COMMERCIAL@OLDCASTLE.COM



[BELGARDCOMMERCIAL.COM](https://www.belgardcommercial.com)